



Presenting Domestic Cable Range for Safer, Securer Homes.



- Life Line Plus S3 (HRFR) Cable • Life Guard (FR-LSH) Cable • Life Shield (HFFR) Cable • Multicore Round Cable
- Flat Submersible Cable • Telephone Switch Board Cable • LAN Cable • CCTV Cable • Co-Axial TV Cable • Speaker Cable

List Price w.e.f. 08th Jan, 2020



1. Heat Resistant Flame Retardant
(Higher Current Carrying Capacity)



2. Anti Termite and Anti Rodent
(CPRI Certified)



3. High Insulation Resistance
(Certified by CPRI)



4. ROHS Compliant
Certified by Bureau Veritas



5. 101% Copper Conductivity



6. More than 99.95% Bare Copper Conductor



Life Line ^{Plus} **3**
Complete Safety

Heat Resistant Flame Retardant HRFR PVC Insulated Industrial Cables
Havells Single Core HRFR PVC Insulated Industrial Grade Copper Conductor (Unsheathed)
Flexible Cables, 1100 Volt Conforming to IS 694

IS:694

HSN CODE: 8544

Nominal area of conductor SQ. mm	Basic Code		List Price in ₹ per 90 m	No. of Standard packing in master carton	
0.5 SQ. mm	WHFFDN...A1X50		630.00	20 N	
0.75 SQ. mm	WHFFDN...A1X75		855.00	20 N	
1.0 SQ. mm	WHFFDN...A11X0		1165.00	20 N	
1.5 SQ. mm	WHFFDN...A11X5		1690.00	16 N	
2.5 SQ. mm	WHFFDN...A12X5		2750.00	12 N	
4.0 SQ. mm	WHFFDN...A14X0		4020.00	4 N	
6.0 SQ. mm	WHFFDN...A16X0		6050.00	4 N	
Nominal area of conductor SQ. mm	Basic Code	List Price in ₹ per 1000 m	Nominal area of conductor SQ. mm	Basic Code	List Price in ₹ per 1000 m
10 SQ. mm	WHFFDN...G1010	109340.00	120 SQ. mm	WHFFDN...G1120	1307955.00
16 SQ. mm	WHFFDN...G1016	170970.00	150 SQ. mm	WHFFDN...G1150	1622995.00
25 SQ. mm	WHFFDN...G1025	272460.00	185 SQ. mm	WHFFDN...G1185	1978920.00
35 SQ. mm	WHFFDN...G1035	375550.00	240 SQ. mm	WHFFDN...G1240	2702950.00
50 SQ. mm	WHFFDN...G1050	540315.00	300 SQ. mm	WHFFDN...G1300	3601595.00
70 SQ. mm	WHFFDN...G1070	774600.00	400 SQ. mm	WHFFDN...G1400	4780970.00
95 SQ. mm	WHFFDN...G1095	1032860.00	-	-	-

...Fill the colour code i.e. B = Blue B.

• Colours available: Red, Yellow, Blue, Black, Green & White.

Standard Packing: 90 m in carton

HAVELLS

Give yourself the safety of
Lifeguard, the low-smoke,
self-extinguishing wires



Higher oxygen
index value



Self-extinguishing
property



Low-smoke



Flame Retardant Low Smoke & Halogen FR-LSH PVC Insulated Industrial Cables
Havells Single Core FR-LSH PVC Insulated Industrial Grade Copper Conductor (Unsheathed)
Flexible Cables, 1100 Volt Conforming to IS 694



HSN CODE: 8544

Nominal area of conductor SQ. mm	Basic Code	List Price in ₹ per 90 m	No. of Standard packing in master carton
1.0 SQ. mm	WHFFFN...A11X0	1225.00	20 N
1.5 SQ. mm	WHFFFN...A11X5	1775.00	16 N
2.5 SQ. mm	WHFFFN...A12X5	2890.00	12 N
4.0 SQ. mm	WHFFFN...A14X0	4220.00	4 N
6.0 SQ. mm	WHFFFN...A16X0	6355.00	4 N



Halogen Free Flame Retardant HFFR Insulated Industrial Cables
Havells Single Core copper conductor (Flexible) Industrial Cables
HFFR compound insulated (Unsheathed), 1100 Volt Generally conforming to IS 694

HSN CODE: 8544

Nominal area of conductor SQ. mm	Basic Code	List Price in ₹ per 90 m	No. of Standard packing in master carton
1.0 SQ. mm	WHFFZN...A11X0	1285.00	20 N
1.5 SQ. mm	WHFFZN...A11X5	1865.00	16 N
2.5 SQ. mm	WHFFZN...A12X5	3030.00	12 N
4.0 SQ. mm	WHFFZN...A14X0	4430.00	4 N
6.0 SQ. mm	WHFFZN...A16X0	6670.00	4 N

...Fill the colour code i.e. B = Blue B.

• Colours available: Red, Yellow, Blue, Black, Green & White.

Standard Packing: 90 m in carton

HAVELLS

Havells Flexible Industrial Cables

Multicore Round

Havells PVC insulated and FR PVC Round Sheathed, Copper Conductor (flexible) industrial cable, 1100 Volt, conforming to IS 694



HSN CODE: 8544

Nominal Area of Conductor SQ. mm	Basic Code	List Price in ₹ per 100 m	Basic Code	List Price in ₹ per 100 m	Basic Code	List Price in ₹ per 100 m
2 Core			3 Core		4 Core	
0.50 SQ. mm	WHMFDSKB2X50	2095.00	WHMFDSKB3X50	2710.00	WHMFDSKB4X50	3420.00
0.75 SQ. mm	WHMFDSKB2X75	2685.00	WHMFDSKB3X75	3665.00	WHMFDSKB4X75	4645.00
1.00 SQ. mm	WHMFDSKB21X0	3310.00	WHMFDSKB31X0	4625.00	WHMFDSKB41X0	5905.00
1.50 SQ. mm	WHMFDSKB21X5	4415.00	WHMFDSKB31X5	6080.00	WHMFDSKB41X5	7870.00
2.50 SQ. mm	WHMFDSKB22X5	7005.00	WHMFDSKB32X5	9795.00	WHMFDSKB42X5	12655.00
4.00 SQ. mm	WHMFDSKB24X0	10845.00	WHMFDSKB34X0	14935.00	WHMFDSKB44X0	19595.00
6.00 SQ. mm	WHMFDSKB26X0	16280.00	WHMFDSKB36X0	22670.00	WHMFDSKB46X0	29050.00
10.00 SQ. mm	WHMFDSKB2010	27410.00	WHMFDSKB3010	38030.00	WHMFDSKB4010	50320.00
16.00 SQ. mm	WHMFDSKB2016	45735.00	WHMFDSKB3016	60200.00	WHMFDSKB4016	78335.00
25.00 SQ. mm	WHMFDSKB2025	66390.00	WHMFDSKB3025	93785.00	WHMFDSKB4025	127330.00
35.00 SQ. mm	WHMFDSKB2035	90740.00	WHMFDSKB3035	130260.00	WHMFDSKB4035	175200.00
50.00 SQ. mm	-	-	WHMFDSKB3050	184155.00	WHMFDSKB4050	241370.00
70.00 SQ. mm	-	-	WHMFDSKB3070	266385.00	WHMFDSKB4070	351135.00
95.00 SQ. mm	-	-	WHMFDSKB3095	348955.00	WHMFDSKB4095	455275.00
5 Core			6 Core		7 Core	
0.50 SQ. mm	WHMFDSKB5X50	4050.00	WHMFDSKB6X50	5370.00	WHMFDSKB7X50	5900.00
0.75 SQ. mm	WHMFDSKB5X75	5710.00	WHMFDSKB6X75	7355.00	WHMFDSKB7X75	8185.00
1.00 SQ. mm	WHMFDSKB51X0	7355.00	WHMFDSKB61X0	9210.00	WHMFDSKB71X0	10255.00
1.50 SQ. mm	WHMFDSKB51X5	10255.00	WHMFDSKB61X5	12860.00	WHMFDSKB71X5	14470.00
2.50 SQ. mm	WHMFDSKB52X5	16550.00	WHMFDSKB62X5	20635.00	WHMFDSKB72X5	23155.00
4.00 SQ. mm	WHMFDSKB54X0	26380.00	WHMFDSKB64X0	32210.00	WHMFDSKB74X0	36355.00
8 Core			10 Core		12 Core	
0.50 SQ. mm	WHMFDSKB8X50	7160.00	WHMFDSKBCX50	8470.00	WHMFDSKBAX50	9930.00
0.75 SQ. mm	WHMFASKB8X75	9630.00	WHMFDSKBCX75	11670.00	WHMFDSKBAX75	13490.00
1.00 SQ. mm	WHMFDSKB81X0	12180.00	WHMFDSKBC1X0	14850.00	WHMFDSKBA1X0	17110.00
1.50 SQ. mm	WHMFDSKB81X5	17205.00	WHMFDSKBC1X5	20965.00	WHMFDSKBA1X5	24315.00
2.50 SQ. mm	WHMFASKB82X5	27590.00	WHMFDSKBC2X5	33540.00	WHMFDSKBA2X5	39355.00
4.00 SQ. mm	WHMFDSKB84X0	43100.00	WHMFDSKBC4X0	53300.00	WHMFDSKBA4X0	62685.00
14 Core			16 Core		19 Core	
0.50 SQ. mm	WHMFDSKBEX50	11395.00	WHMFDSKBIX50	12990.00	WHMFDSKBDX50	14895.00
0.75 SQ. mm	WHMFASKBEX75	15590.00	WHMFDSKBIX75	17755.00	WHMFDSKBDX75	20780.00
1.00 SQ. mm	WHMFDSKBE1X0	19925.00	WHMFDSKBI1X0	22700.00	WHMFDSKBD1X0	26700.00
1.50 SQ. mm	WHMFDSKBE1X5	28280.00	WHMFDSKBI1X5	32005.00	WHMFDSKBD1X5	38000.00
2.50 SQ. mm	WHMFDSKBE2X5	45765.00	WHMFDSKBI2X5	52190.00	WHMFDSKBD2X5	61745.00
4.00 SQ. mm	WHMFDSKBE4X0	72360.00	WHMFDSKBI4X0	82575.00	WHMFDSKBD4X0	98190.00

Standard Packing: 100 m

also available: 500 m \pm 5% on non returnable wooden drums (on demand)

Havells Flat Three Core PVC Insulated & PVC Sheathed Industrial Cable for Submersible Pump Motors

1100 Volt, conforming to IS 694



HSN CODE: 8544


Nominal area of conductor SQ. mm	Basic Code	List Price in ₹ per 1000 m
1.5 SQ. mm	WHPNDSKG31X5	63800.00
2.5 SQ. mm	WHPNDSKG32X5	102195.00
4.0 SQ. mm	WHPNDSKG34X0	149690.00
6.0 SQ. mm	WHPNDSKG36X0	221675.00
10 SQ. mm	WHPNDSKG3010	372695.00
16 SQ. mm	WHPNDSKG3016	576505.00
25 SQ. mm	WHPNDSKG3025	907655.00
35 SQ. mm	WHPNDSKG3035	1242885.00

Standard Packing: 100 m

also available: 500 m \pm 5% on

non returnable wooden drums (on demand)





Havells Communication Cables,
The World will now be connected.

Telecom Switch Board Cables

Havells PVC Insulated Telephone cables for indoor applications
confirming to **TECHNICAL** specification **G/WIR06/02**



HSN CODE: 8544

No. of Pairs	UNARMoured 0.4 mm ATC			
	Basic Code	List Price in ₹ per 90 m	Basic Code	List Price in ₹ per 180 m
1 P	WHTTATEA1P40	460.00	WHTTATEL1P40	920.00
2 P	WHTTATEA2P40	780.00	WHTTATEL2P40	1560.00
3 P	WHTTATEA3P40	1120.00	WHTTATEL3P40	2240.00
4 P	WHTTATEA4P40	1460.00	WHTTATEL4P40	2920.00
5 P	WHTTATEA5P40	1815.00	WHTTATEL5P40	3630.00
10 P	WHTTATEA1040	3435.00	WHTTATEL1040	6870.00
20 P	WHTTATEA2040	6355.00	WHTTATEL2040	12710.00

Standard Packing: 90 m in carton Project packing: 180 m poly wrapped

0.5 mm Telecom Switch Board Cables is available on request.
Kindly contact our Sales Representative.

Havells CATV Co-axial Cables

(Electrolytic Grade solid annealed Copper conductor,
Jelly Field, Aluminium Foiled and Aluminium wire Braided)



HSN CODE: 8544

Item / Type	Screen	Signal Losses dB/100 yards at 100 MHz	Basic Code	List Price in ₹ per 90 m	Basic Code	List Price in ₹ per 305 m
RG 59 (Foam)	AI FOIL + AI BRAID	6	WHOJTTKARG59	1565.00	WHOJTTKERG59	5305.00
RG 06 (Foam)	AI FOIL + AI BRAID	5	WHOJTTKARG06	1990.00	WHOJTTKERG06	6745.00
RG 11 (Foam)	AI FOIL + AI BRAID	3.5	WHOJTTKARG11	4520.00	WHOJTTKERG11	15320.00

Havells Flexible Industrial Cables

CCS Co-Axial Cable

INDUSTRIAL GRADE RG-06 CCS CO-AXIAL CABLE 90 m

Item / Type	Screen	Signal Losses dB/100 yards at 100 MHz	Basic Code	List Price in ₹ per 90 m	Basic Code	List Price in ₹ per 305 m
RG 06 CCS	Al FOIL + Al BRAID	6	WHOJTTCARG09	1230.00	WHOJTTCARG08	4170.00

Havells Computer LAN Network Cable

(Electrolytic grade solid annealed bare copper conductor,
4 Pair unshielded twisted pair (UTP) Industrial cables for LAN Network).

HSN CODE: 8544

Item / Type	Basic Code	List Price in ₹
UTP CAT 6 COMPUTER LAN CABLE WITH STAR SEPARATOR 305 m	WHLJTTERCAT6	8415.00
UTP CAT 6 COMPUTER LAN CABLE WITH STAR SEPARATOR 100 m	WHLJTAEBCAT6	2760.00



Havells CCTV Camera Cable

(ATC Conductor (flexible), PVC insulated, With RG-59 co-axial cable
(Electrolytic solid annealed Copper Conductor, Jelly Field, Aluminium Foiled and
Aluminium wire braided), PVC Outer sheathed Industrial CCTV camera cable. HSN CODE: 8544

Item / Type	Basic Code	List Price in ₹ per 90 m	Basic Code	List Price in ₹ per 305 m
CCTV 3+1 (JELLY) CABLE	WHOJTSWBCT31	3040.00	WHOJTSWRCT31	10300.00
CCTV 4+1 (JELLY) CABLE	WHOJTSWBCT41	3430.00	WHOJTSWRCT41	11625.00



Havells Speaker Cable

(Havells transparent FR PVC insulated, twin core copper
conductor (Flexible) Industrial Speaker cable).

HSN CODE: 8544

Item / Type	Basic Code	List Price in ₹ per 100 m
SPEAKER 2X0.5 SQ. mm IND. 1.1 kV CABLE-100 m	WHPFDAWB2X50	1360.00
SPEAKER 2X0.75 SQ. mm IND. 1.1 kV CABLE-100 m	WHPFDBWB2X75	2025.00
SPEAKER 2X1.0 SQ. mm IND. 1.1 kV CABLE-100 m	WHPFDNWB21X0	2555.00
SPEAKER 2X1.5 SQ. mm IND. 1.1 kV CABLE-100 m	WHPFDNWB21X5	3690.00



Solid / Stranded annealed bare / tinned copper conductor, PVC Insulated, cores twisted to form pairs, pairs individual / overall shielded for interference rejection, unarmoured / armoured PVC sheathed 225 Volt / 650 Volt / 1100 Volt grade in conductor sizes: 0.5 SQ. mm/ 0.75 SQ. mm/ 1.0 SQ. mm/ 1.5 SQ. mm up to 80 pairs.

Also available with HR PVC / PE / Halogen Free Insulation and / or HR PVC / FR-LSH / Halogen Free Sheath.

Suitable for Low Frequency Signals.

Prices available on demand.

Note: Properties of HFFR is not covered under IS 694

Prices to be made available on request on furnishing constructional & requirement details for sizes not covered by this list prices.

☐ Items generally available in stock. ☐ Order are accepted subject to availability of stock or for economical run after confirmation

Terms & Conditions: • Prices are in Indian ₹. • The List prices are inclusive of GST. • This List Price supercedes all our previous Price Lists. • Prices are subject to change without notice. • Company reserves the right to issue amendments, which may arise due to any errors in the list price.

Actual products may vary in colour, design, description and colour combination etc.

Although every effort has been made to ensure accuracy in the compilation of the technical detail within this publication. Specifications & performance data are constantly changing. Current details should therefore be checked with Havells Group.



Havells India Ltd.

Corp Office: QRG Towers, 2D, Sector-126, Expressway, Noida-201304 (U.P), Ph. +91-120-3331000
Email: marketing@havells.com, www.havells.com
Consumer Care No.: 1800 11 0303 (Tollfree), 1800 103 1313 (All Connection), 011-4166 0303 (Landline)
Join us on Facebook at www.facebook.com/havells and share your ways to save planet!
CIN - L31900DL1983PLC016304
Copyright Subsists. Imitation of trade dress, graphics and color scheme of this document is a punishable offence.

